


APL-CS

Automatic Carton Packing Line
纸箱封箱包装线



APL-CSS01




APL-CSS02



APL-CSS03



APL-CSS04



APL-CSS05


05

APL-CS


Automatic Carton Packing Line
纸箱封箱包装线



APL-CS6



APL-CS07



APL-CSS08



BC2M/400
Belt Conveyor With Driving Force
动力皮带输送机



ERC4M/RD
Extend Roller Conveyor With Driving Force
动力滚筒伸缩输送机



RCY180
Corner Conveyor With Driving Force
动力滚筒圆角输送机



RC1M/V
90 Degree Push Conveyor
90度转弯推料输送机



RC1M/3M
Non-drive Roller Conveyor
无动力滚筒输送机



RC1M/D
Motor-drive Roller Conveyor
动力滚筒输送机



ERC3M
Extend Roller Conveyor
伸缩输送机



ERC4M/R
Extend Roller Conveyor
无动力滚筒伸缩输送机

04

06



CONTACT US

Automatic Carton Erector 自动纸箱成型机



CE54035N
Carton Erector & Bottom Sealer
自动开箱封底机
Suitable Cases/适用纸箱: L200-500mm
W150-350mm
H100-350mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-10carton/min.
Air Source/气源: > 500L/min, 0.4-0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mmxL1000



CE54035N/A
Carton Erector & Bottom Sealer
自动开箱封底机
Suitable Cases/适用纸箱: L200-500mm
W150-350mm
H100-350mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-10carton/min.
Air Source/气源: > 500L/min, 0.4-0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mmxL1000



CE54035M
Carton Erector & Bottom Sealer
自动开箱封底机
Suitable Cases/适用纸箱: L200-500mm
W150-350mm
H100-350mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-10carton/min.
Air Source/气源: > 500L/min, 0.4-0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mmxL1000



CE54030G
High Speed Box Machine
高速开箱机
Suitable Cases/适用纸箱: L250-450mm
W150-400mm
H100-300mm
Work speed/开箱速度: 20-40carton/min.
Air Source/气源: > 850L/min, 0.4-0.8 Mpa
Machine size/机器尺寸: L1120xW1250xH1740mm
Air consuming/空气消耗量: 800L/min



CE54030D
High Speed Box Machine
高速开箱机
Suitable Cases/适用纸箱: L250-450mm
W150-400mm
H100-300mm
Work speed/开箱速度: 20-40carton/min.
Air Source/气源: > 850L/min, 0.4-0.8 Mpa
Machine size/机器尺寸: L1100xW1250xH1740mm
Air consuming/空气消耗量: 800L/min



CE57550N/A
Carton Erector & Bottom Sealer
自动开箱封底机
Suitable Cases/适用纸箱: L500-750mm
W300-500mm
H100-350mm
Dimension/机器尺寸: L2300xW2000xH1450mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-10carton/min.
Air Source/气源: > 500L/min, 0.4-0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mmxL1000
Opp tape/使用胶带: W48mm-W60-75mmxL1000

Automatic Carton Sealer 开箱机&封箱机



FX-AT5050C
Automatic Flap-fold & Bottom Sealer
全自动折盖封底机
Conveyor Speed/输送速度: 16m/min
Max. Package Size/最大包件尺寸: W500xH500mm
Min. Package Size/最小包件尺寸: W120xH120mm
Power Supply/供给电源: 110V-220-240V/50-60Hz
Power Consumption/功率: 240W
Width Of Tape/胶带宽度: 60mm
Machine Size/机器尺寸: 1780x950x1400mm
Machine Weight/机器重量: 240kg



FX-AT5050
Automatic Flap-fold & Bottom Sealer
全自动折盖封底机
Conveyor Speed/输送速度: 16m/min
Max. Package Size/最大包件尺寸: W500xH500mm
Min. Package Size/最小包件尺寸: W120xH120mm
Power Supply/供给电源: 110V-220-240V/50-60Hz
Power Consumption/功率: 240W
Width Of Tape/胶带宽度: 60mm
Machine Size/机器尺寸: 1780x950x1400mm
Machine Weight/机器重量: 240kg



FXJ4030V (+Sealing Model)
Carton Sealing Machine
自动封箱机(配套十字封胶)
Power Supply/供给电源: 110V-220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: L550xW350xH400mm
Min. Carton Size/最小纸箱尺寸: L200xW80xH90mm
Width Of Tape/胶带宽度: 50mm



FX-AT5050L
Automatic Flap-fold & Bottom Sealer
全自动折盖封底机
Work speed/封箱速度: 16m/min
Max. Carton size/最大包件尺寸: L1100xW460xH1000mm
Min. Carton size/最小包件尺寸: L300xW150xH200mm
Width Of Tape/胶带宽度: 60mm
Machine Size/机器尺寸: 3120x960x2040mm



FX-AT5050B
Automatic Flap-fold & Bottom Sealer
全自动折盖封底机
Work speed/封箱速度: 16m/min
Max. Carton size/最大包件尺寸: L600xW500xH500mm
Min. Carton size/最小包件尺寸: L200xW120xH120mm
Width Of Tape/胶带宽度: 60mm
Machine Size/机器尺寸: 1780x950x1640mm



BC55050
Heavy Duty Carton Sealer
半自动折盖机
Conveyor Speed/输送速度: 16m/min
Max. Package Size/最大包件尺寸: W500xH500mm
Min. Package Size/最小包件尺寸: W120xH120mm
Power Supply/供给电源: 110V-220-240V/50-60Hz
Power Consumption/功率: 200W
Width Of Tape/胶带宽度: 50mm & 60mm; 75mm are option



Carton Sealer

封箱机



FXJ6050
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH600mm
Min. Package size/最小包件尺寸: W150xH120mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1650x850x1330mm



FXJ6050/A55235
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH800mm
Min. Package size/最小包件尺寸: W100xH100mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1740x850x1330mm



FXJ6050B
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH600mm
Min. Package size/最小包件尺寸: W150xH120mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 300W
Machine size/机座尺寸: 1730x850x1380mm



FXJ9050 I
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH500mm
Min. Package size/最小包件尺寸: W150xH100mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1660x850x1260mm



FXJ9050 II
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH500mm
Min. Package size/最小包件尺寸: W150xH120mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1650x850x1230mm



FXJ5060 III
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH500mm
Min. Package size/最小包件尺寸: W150xH100mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1860x850x1220mm



AS23V (+ Sealing Model)
Carton Sealing Machine for Random size box
自动调节封箱机(任意尺寸封箱)
Power Supply/供电电压: 110V/220-240V/50-60Hz
Power/功率: 120W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大包件尺寸: 1300xW500xH100mm
Min. Carton Size/最小包件尺寸: 1200xW150xH120mm
Width of Tape/胶带宽度: 48mm or 60mm



FXJ9050T
Auto Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 16m/min
Max. Package size/最大包件尺寸: W500xH900mm
Min. Package size/最小包件尺寸: W130xH110mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.24KVA
Machine size/机座尺寸: 830x840x1330mm



FXJ4030L (With Labeling Model)
Carton Sealing Machine
自动调节封箱机
Power Supply/供电电压: 110V/220-240V/50-60Hz
Power/功率: 120W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大包件尺寸: W300xH400mm
Min. Carton Size/最小包件尺寸: 1200xW80xH90mm
Width of Tape/胶带宽度: 50mm

Carton Sealer

封箱机



A5823A
Pneumatic Carton Sealer
自动尺寸调节封箱机
Conveyor speed/输送速度: 16m/min
Range of box dimensions/包盒尺寸: Length:200mm-8
Width:150mm-500mm Height:120mm-500mm
Adhesive band used/使用胶带: OPP
Width of tape/胶带宽度: 60mm
Height of working table/工作台高度: 160-750mm
Machine size/机座尺寸: 980x1000x1300mm



A5232
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: 1600xW500xH600mm
Min. Package size/最小包件尺寸: 1200xW150xH100mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 2000x850x1220mm



A5123
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH600mm
Min. Package size/最小包件尺寸: W100xH80mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1580x740x1330mm



A5223
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH800mm
Min. Package size/最小包件尺寸: W100xH80mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1550x820x1320mm



A5423
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH500mm
Min. Package size/最小包件尺寸: W150xH70mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1100x900x1320mm



A5523
Semi Automatic Carton Sealer
半自动封箱机
Conveyor speed/输送速度: 20m/min
Max. Package size/最大包件尺寸: W500xH580mm
Min. Package size/最小包件尺寸: W100xH100mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 0.18KVA
Machine size/机座尺寸: 1740x850x1320mm



A5723
Automatic Carton Corner Sealer
全自动角边封箱机
Conveyor speed/输送速度: 6-10boxes/min
Max. Package size/最大包件尺寸: 1500xW500xH500mm
Min. Package size/最小包件尺寸: 1320xW200xH180mm
Width of tape/胶带宽度: 60mm, 75mm
Use gas source/使用气源: 4kg, 16m2/15m/min
Machine size/机座尺寸: 1900x1300x1530mm




A5923B
Auto Bottom Flaps Folder & Carton Sealer
自动折底封箱一体机
Conveyor speed/输送速度: 16m/min
Max. Package size/最大包件尺寸: 1500xW500xH500mm
Min. Package size/最小包件尺寸: W150xH120mm
Width of tape/胶带宽度: 50, 60mm
Power consumption/耗功率: 300W
Machine size/机座尺寸: 1720x820x1450mm



Carton Loader & Robot

装箱机 & 机器人



ADR-1
Delta robot hand loading machine
蜘蛛手开瓶机器人装箱
Vision accuracy/视觉精度: $\pm 0.5\text{mm}$
Positioning accuracy/定位精度: 0.1mm
Dimension/直径: $880 \times 1130\text{mm}$
Work speed/最大速度: $15 \sim 25\text{carton/min}$
Machine size/外形尺寸: $950 \times 1050\text{mm}$



SP120
Loader & Robot
装箱机 & 机器人
Max. Working Radius/最大工作范围: 2400mm
Max. Wrist Payload/最大负载: 120kgs



WKD-XMD10
机器人
适用托盘尺寸: $1800 \times 1200 \times 150 \sim 200\text{mm}$
适用托盘方式: 人工放置
适用托盘重量: $5 \sim 0.8\text{kg/m}^2$
适用电压: 三相 $380\text{V} 50\text{Hz}$
适用气压: $5 \sim 0.8\text{kg/cm}^2$
设备功率: 9kW
适用高度: 最大高度 $1500 \sim 1800\text{mm}$



ADR-II
Automatic Carton Filler
自动装箱机 (散落式装箱)
Work speed/装箱速度: $5 \sim 10\text{box/min}$
Machine size/机身尺寸: $L1500 \times W1200 \times H2600\text{mm}$
Use gas source/使用气源: 400l/min



IRB460/IRB660
Palletizing Robot
码垛机器人
Power Supply/供电电压: $3\text{P } 220\text{V or } 380\text{V } 50\text{Hz}$
Maximum working radius/最大工作半径: 2400mm
Maximum working radius/最大工作半径: 2400mm
Max. Wrist Payload/最大负载: 110kg
Max. Wrist Payload/最大负载: $110 \sim 250\text{kg}$
Repetitive Positioning Accuracy/重复定位精度: $\pm 0.2\text{mm}$



BPK-M550
cooperative palletizing robot
协作码垛机器人
palletizing speed/码垛速度: $3 \sim 8\text{times/min}$
applicable pallet/适用托盘: $1800 \times 1200 \times 150 \sim 200\text{mm}$
power/电压: $220\text{V } 50\text{Hz}$
air source/气压: $0.5 \sim 0.8\text{kg/cm}^2$

Cartoning machinery

装盒机




BZZH120(Horizontal Model)
Automatic Cartoning Machine
自动装盒机
Power Supply/供电电压: $3\text{P } 220\text{V or } 380\text{V } 50\text{Hz}$
Main Motor Power/功率: 750W
Working Speed/箱速: $40 \sim 50\text{cartons/min}$
Carton Size/适用箱尺寸: $L80 \sim 220 \times W50 \sim 180 \times H15 \sim 80\text{mm}$
Air Source/气源: $0.6 \sim 0.8\text{Mpa } 450\text{l/min}$




BZH50(VERTICAL Model)
Automatic Cartoning Machine
自动装盒机
Power Supply/供电电压: $3\text{P } 220\text{V or } 380\text{V } 50\text{Hz}$
Main Motor Power/功率: 750W
Working Speed/箱速: $40 \sim 50\text{cartons/min}$
Carton Size/适用箱尺寸: $L65 \sim 220 \times W50 \sim 180 \times H15 \sim 80\text{mm}$
Air Source/气源: $0.6 \sim 0.8\text{Mpa } 450\text{l/min}$



装盒式包装机
技术参数 Main Technical Parameter
装盒速度/箱速/Encasing Speed(cartons/min)
 $20 \sim 120$ (视盘盒要求而定/平方米)
Carton Quality Requirement(g/m²)
 $250 \sim 350$ (视盘盒大小而定/定盘盒carton size)
盘盒尺寸范围(长*宽*高)mm
Carton Dimension Range(L*W*H)mm
($65 \sim 155$) ($30 \sim 85$) ($14 \sim 50$)



ABC-1
Cardboard Carton Erector
纸板裹包式装箱机
Suitable Case/适用纸箱: $550 \times L \times W \times H100 \sim 1000\text{mm}$
Work speed/箱速: $15 \sim 18\text{carton/min}$
Machine size/机身尺寸: $L5130 \times W2600 \times H1800\text{mm}$
Production ability/生产能力: $L460 \times W280 \times H350$



AEB-III
Automatic Carton Filler
自动装箱机 (散落式装箱)
Speed/封箱速度: $5 \sim 10\text{箱/分}$



AEF-1
Combined Carton Packing Station
纸箱包装一体机
Speed/封箱速度: $5 \sim 10\text{箱/分}$



Automatic Strapping Machine

捆扎机



AP8040/AP8060
Automatic Strapping Machine
全自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm AP8040
800x600mm AP8060



AP8060L
Automatic Strapping Machine
全自动捆扎机
Strapping tension/捆扎力: 100-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm



AP8060C
Automatic Strapping Machine
无人化自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm



APM8060C
Automatic Strapping Machine
全自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm



DBA130A
Automatic Strapping Machine
半自动捆扎机
Strapping tension/捆扎力: 100-600N Adjustable
Strapping speed/捆扎速度: 2.05Sec./Strap
Strap width/捆扎带宽度: 9-15mm
Chute size/出料尺寸: L1000mm
Power consumption/耗用功率: 0.5KVA



BRO-305RP
High Speed Corrugated Strapping Machine
全自动捆扎机
Power Supply/电源电压: 220V 50-60Hz 1KW
Strapping speed/捆扎速度: Up to 25bundles/min.
PP Strap Size/捆扎带规格: W5mm or 6mm, 10.5-0.8mm
Arch Size/捆扎尺寸: W1250*H1050mm
Min. bundle Size/最小捆扎尺寸: L250*W200*H60mm
Working Table Height/工作台高度: 850mm
Air Source/气源: 0.4-0.6Mpa



M23
Automatic Strapping Machine
全自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm



MH BPK-301B
Automatic Strapping Machine
自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.18Sec./Strap
Strap width/捆扎带宽度: 9, 12, 15mm
Arch size/捆扎尺寸: 800x600mm



MH BPK-301A
Automatic Strapping Machine
自动捆扎机
Strapping tension/捆扎力: 40-600N Adjustable
Strapping speed/捆扎速度: 2.05Sec./Strap
Strap width/捆扎带宽度: 9-15mm
Arch size/捆扎尺寸: 800x600mm

Semi-Automatic Strapping Machine

捆扎机



KZB1
Semi-Automatic Strapping Machine
半自动捆扎机
Strapping tension 捆扎力: 40-480N Adjustable
Strapping speed/捆扎速度: 1.85Sec./Strap
Strap width/捆扎带宽度: 6-15mm
Power consumption/耗用功率: 340W



KZB11
Semi-Automatic Strapping Machine
半自动捆扎机
Strapping tension/捆扎力: 40-480N Adjustable
Strapping speed/捆扎速度: 1.85Sec./Strap
Strap width/捆扎带宽度: 6-15mm
Power consumption/耗用功率: 340W



SM06L
Semi-Automatic Strapping Machine
半自动捆扎机
Strapping tension/捆扎力: 40-400N Adjustable
Strapping speed/捆扎速度: 0.535Sec./Strap
Strap width/捆扎带宽度: 5-15mm
Power consumption/耗用功率: 0.2KVA



SM10H
Semi-Automatic Strapping Machine
半自动捆扎机
Strapping tension/捆扎力: 40-400N Adjustable
Strapping speed/捆扎速度: 0.535Sec./Strap
Strap width/捆扎带宽度: 5-15mm
Power consumption/耗用功率: 0.2KVA



SM10T
Semi-Automatic Strapping Machine
半自动捆扎机
Strapping tension/捆扎力: 40-400N Adjustable
Strapping speed/捆扎速度: 0.535Sec./Strap
Strap width/捆扎带宽度: 5-15mm
Power consumption/耗用功率: 0.2KVA



BL600L
Luggage Wrapping Machine
行李缠绕膜机
Wrapping Size/缠绕尺寸: (40-80)*(18-45)*(35-50)cm
Diameter of Turntable/转盘直径: 600mm
Max. Turntable loading/最大转盘承重: 100kgs
Speed of Turntable/转盘速度: 20r/min.
Height of Turntable/转盘高度: 250mm



APL1400CP
Automatic Pallet Strapping Machine
自动托盘穿带式打包机
Arch Size/龙门架尺寸: W1800*H2400mm
Working Table Height/工作台高度: 450mm
Strapping Speed/捆扎速度: 12-15mm



BL2000A/BL2000P
Pallet Stretch Wrapping Machine
自动缠绕膜包装机
Turn-table diameter/转盘直径: Φ1500mm
(Φ1650mm和Φ2000mm are optional)
Turn-table thickness/转盘厚度: 85mm
Speed of turn-table/转盘转速: 0-12r/min
Turn-table loading/转盘承重: 2000kg
Percent of Pre-stretch/预拉伸比: 250%
Machine color/机器颜色: Blue/yellow or Gray



BL600R
Robot Stretch Wrapping Machine
自动缠绕膜包装机(行走式)
Power Supply/电源电压: 220V/50-60Hz
Wrapping Height/缠绕高度: 1800mm
Min. Pallet Size/托盘规格: L600*W600*H700mm



Sealer&Shrink PackagingMachine

封切机&收缩机系列



FQL450LA+BSD452SW

Automatic L-Bar Sealer & Shrink Packager

Power Supply/电源电压: 1P for L-Bar Sealer & 3P for Shrink Packager
L-Bar Sealer Option Timer control or PLC with Touch Screen control
L-Bar Sealer can be used for automatic shrink packaging of products
Shrink Packager are option size with FQL450LA / FQL550LA / FQL450LA
封切机与收缩机可单独产品尺寸或定制尺寸
Shrink Packager are option any size according product size
收缩包装机可根据产品尺寸或定制尺寸
Available choose any style of shrinkage furnace matching L-Bar sealer
可选择任意款式收缩炉匹配封切机



BF450+BT4530

Automatic Side Sealer & Shrink Packager

Power Supply/电源电压: 1P for L-Bar Sealer & 3P for Shrink Packager
Side Sealer Option Timer control or PLC with Touch Screen control
Side Sealer can be used for automatic shrink packaging of products
Side Sealer are option size with AS5450 / AS5550 / AS5650
封切机与收缩机可单独产品尺寸或定制尺寸
Shrink Packager are option any size according product size
收缩包装机可根据产品尺寸或定制尺寸
Available choose any style of shrinkage furnace matching Side sealer
可选择任意款式收缩炉匹配封切机

Sealer&Shrink PackagingMachine

封切机&收缩机系列



FQL450LB/550LB/650LB

Automatic sealing machine

Power/功率: 10-40W
Seal size/封切尺寸: 470x100x120mm
Product size/产品尺寸: 800x300x120mm/850x300x120mm
Conveyor loading/输送数量: 2000/Min



BF450/550/650/750/850/950

Automatic high speed edge sealing machine

Highest packing/最高包装尺寸: 250mm / 300mm
Seal size/封切尺寸: length no limit x width 450/550/650/750/850/950mm
Seal speed/封切速度: 15m/min
Pressure/压力: 0.5Mpa



BSD4020A+FQL450A/550A/650A/750A/850A/950A

Semi-automatic L-Bar Sealer & Shrink Packaging Machinery

半自动封切收缩包装机



BT4525+BLA6040/BTV4540+BLA8060

Semi-automatic L-Bar Sealer & Shrink Packaging Machinery

半自动封切收缩包装机



FQL450A

Automatic sealing machine

Type/型号: Standard
Conveyor speed/输送速度: 0-15m/min
Seal size/封切尺寸: 600x450mm
Product size/产品尺寸: 1500x420mm
Conveyor loading/输送数量: 25KG Max



FQL450T

Automatic sealing machine

Type/型号: Pneumatic
Conveyor speed/输送速度: 0-15m/min
Seal size/封切尺寸: 580x450mm
Product size/产品尺寸: 1500x420mm
Conveyor loading/输送数量: 25KG Max



BLA6040/8060

Pneumatic seal type

Conveyor speed/输送速度: 0-15m/min
Seal size/封切尺寸: 600x400mm BLA6040
800x600mm BLA8060
Shrink product size/产品尺寸: 550x300mm BLA6040
750x520mm BLA8060
Conveyor loading/输送数量: 25KG Max BLA6040
25KG Max BLA8060



ST1230AF+BSE8040A

Automatic Four Side Sealing & Shrink Packing Machine

Power Supply: 3P, 220V or 380V/50-60Hz
Power: 30W for Packing Machine & 400W for Shrink Packager
Max. Packing size/最大包装尺寸: L=1000mm W=1100mm H=300mm
Sealing Bar Size: 1000mm
Tunnel size/收缩尺寸: 1800x600x400mm
Capacity/收缩速度: 3-10pc/min
Applicable Film/适用膜: PET or PE



BSRP500

Servo Control Reciprocating Packaging Machine

Power Supply: 3P, 220V or 380V/50-60Hz
Power: 4.75KW for Packing Machine & 13.5KW for Shrink Packager
Max. Packing size/最大包装尺寸: L80-450xW20-200xH5-90mm
Max. Film Width: 500mm
Tunnel size/收缩尺寸: L2300xW200xH450mm
Capacity/收缩速度: 10-17pc/min
Applicable Film/适用膜: PET or PE



BSD3520A/4020A/4525A

Heat shrink wrapping machine

Heater power/加热功率: 6.5KW/Adjustable/BSD3520A
6.5KW/Adjustable/BSD4020A
8.0KW/Adjustable/BSD4525A
Conveyor speed/输送速度: 0-15m/min
Tunnel size/收缩尺寸: 800x350x200mm BSD3520A
1000x400x200mm BSD4020A
1000x450x250mm BSD4525A



BSD350B/400B/450B

Heat shrink wrapping machine

Heater power/加热功率: 6.5KW/Adjustable/ BSD350B
6.5KW/Adjustable/ BSD400B
8.0KW/Adjustable/ BSD450B
Conveyor speed/输送速度: 0-10m/min
Tunnel size/收缩尺寸: 830x350x150mm BSD350B
830x400x200mm BSD400B
830x450x250mm BSD450B



FM5540/7060

The two-in-one shrink wrapping machine

Power/功率: 4.0KW
Max. Packing size/最大包装尺寸: 550x400x300mm FM5540
700x400x300mm FM7060
Max. sealing size/最大封口尺寸: 550x400mm FM5540
700x400mm FM7060
Working efficiency/工作效率: 500-800pc/h FM5540
500-800pc/h FM7060



CONTACT US

Shrink Packaging Machine

收缩机系列



BSD350/400/450
Heat shrink wrapping machine
热收缩包装机
Heater power/加热功率: 6.5KW(Adjustable) BSD350
6.5KW(Adjustable) BSD400
8.0KW(Adjustable) BSD450
Conveyor speed/输送速度: 0-10m/min
Tunnel size/收缩尺寸: 830x350x150mm BSD350
830x400x200mm BSD400
830x450x250mm BSD450



BTV4530L/BTV5030L
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩尺寸: 1200x400x300mm
1500x500x300mm(BTV5030L)
Capacity/产能: 1-10m/min
Heater Power/加热功率: 15KW (BTV4530L)
15KW (BTV5030L)
Applicable Film/适用膜: PCF or PVC



BSD4525W
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩尺寸: 1200x400x250mm
Capacity/产能: 1-10m/min
Heater Power/加热功率: 15KW
Applicable Film/适用膜: PCF or PVC
Option/可选: Metal Rods or Mesh type/金属杆或网



BSE4530/5045/6050
PE film shrink wrapping machine
PE 膜热收缩包装机
Heater power/加热功率: 20KW(Adjustable) BSE4530
24KW(Adjustable) BSE5045
28KW(Adjustable) BSE6050
Conveyor speed/输送速度: 0-10m/min
Tunnel size/收缩尺寸: 1200x450x300mm BSE4530
1500x500x300mm BSE5045
1800x600x500mm BSE6050



BSE4530A/5045A
PE film shrink wrapping machine
PE 膜热收缩包装机
Heater power/加热功率: 11KW(Adjustable) BSE4530A
15KW(Adjustable) BSE5045A
Conveyor speed/输送速度: 0-10m/min
Tunnel size/收缩尺寸: 1200x450x300mm BSE4530A
1500x500x300mm BSE5045A



BSE6040A/BSE6050A
PE film shrink wrapping machine
PE 膜热收缩包装机
Heater power/加热功率: 15KW(Adjustable) BSE6040A
24KW(Adjustable) BSE6050A
Conveyor speed/输送速度: 0-10m/min
Tunnel size/收缩尺寸: 1800x600x400mm BSE6040A
1800x600x500mm BSE6050A



BSD1535ST
Heat shrink wrapping machine
热收缩包装机
Fans power/风机功率: 0.37KW
Steam pressure/蒸汽压力: 0.15-0.4Mpa
Steam consumption/蒸汽流量: 20-100KG/H
Tunnel size/收缩尺寸: 1800x150x350mm



BSD11535
Heat shrink wrapping machine
热收缩包装机
Power/功率: 4KW
Conveyor speed/输送速度: 0-4m/min
Tunnel size/收缩尺寸: 700x150x350mm
Conveyor loading/输送重量: 5KG Max



BS4522LN
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩尺寸: 1500x450x220mm
Capacity/产能: 1-10m/min
Heater Power/加热功率: 15KW
Applicable Film/适用膜: PCF or PVC
Option/可选: Metal Rods or Mesh type/金属杆或网

Sealer&Shrink Packaging Machine

封切机&收缩机系列



BSL-100M/200M
Automatic marker
自动裁标机
Power/功率: 1.5KW BSL-100M
2KW BSL-200M
Applicable Diameter of bottle body/适用瓶子直径: φ28mm-125mm
Applicable Length of Label/适用标签长度: 30mm-250mm
Applicable Thickness of Label/适用标签厚度: 0.03mm-0.13mm
Applicable Materials of Label/适用标签材料: PVC,PET,OPS
Standard label length/标准标签长度: 100mm
Production Speed/生产速度: 1000bottles/min BSL-100M
SL-200M



ST6040A+BSE6040A/ST4020A+BSE4530A
Automatic cuff sealing machine
自动袖口式封切机
Seal size/封切尺寸: 600x400mm ST6040A+BSE6040A
400x200mm ST4020A+BSE4530A
Working efficiency/工作效率: 8-10sets/min
Air pressure/气压: 14MPa/2KW
Conveyor width/输送带宽度: 300mm 150mm
Tunnel size/收缩尺寸: 11500xW500xH400mm ST6040A+BSE6040A
L1500xW450xH300mm ST4020A+BSE4530A



ST6040Q+BSE5045A
Semi-automatic cuff sealing machine
半自动袖口式封切机
Seal size/封切尺寸: 600x400mm
Working efficiency/工作效率: 3-6sets/min
Air pressure/气压: 14MPa/2KW
Sealing time/封口时间: 0.5-1.5s
Tunnel size/收缩尺寸: 11500xW500xH450mm



BSS4020
Combi Sleeve Sealer & Shrink Packing Machine
袖口密封收缩一体机
Power Supply: 3P, 220V or 380V/50-60Hz 80W
Max. Sealing size/最大封口尺寸: L4000xH200mm
Tunnel size/收缩尺寸: L12000xW400xH200mm
Capacity/产能: 5-10m/min
Applicable Film/适用膜: PE



ST6040Z+BSE5045A
Automatic cuff sealing machine
自动袖口式封切机
Seal size/封切尺寸: 550x430mm
Working efficiency/工作效率: 8-12sets/min
Power/功率: 30KW
Sealing time/封口时间: 0.5-1.5s
Tunnel size/收缩尺寸: L1500xW500xH450mm



ST7040+BSE7040
Servo sealing and shrink packaging machine
伺服袖口密封收缩包装机
Sealing size/封口尺寸: W700*H400mm
Working efficiency/工作效率: 0-25sets/min
Power/功率: 30 KW, power supply: 3P/380V,
Machine size/机身尺寸: L4000 * W1000 * H500mm



Automatic Vacuum packager

真空包装机



VM100TE/A
Desk type Vacuum (inflatable) Packager
桌上型真空 (充气) 包装机
Chamber size/真空腔尺寸: 385x280x50mm
Single sealing-bar/单封条尺寸: 260x8mm
Double sealing-bar/双封条尺寸: 400x10mm
Capacity/排气量: 10m3/h
Cycle time/循环时间: 10-20sec
Power/功率: 0.4KW



VM(Q)400TE
Desk type Vacuum (inflatable) Packager
桌上型真空 (充气) 包装机
Chamber size/真空腔尺寸: 440x420x75mm
Single sealing-bar/单封条尺寸: 400x10mm
Double sealing-bar/双封条尺寸: 400x10mm
Capacity/排气量: 20m3/h
Cycle time/循环时间: 10-25sec
Power/功率: 0.9KW



VM(Q)500TE
Desk type Vacuum (inflatable) Packager
桌上型真空 (充气) 包装机
Chamber size/真空腔尺寸: 520x525x100mm
Single sealing-bar/单封条尺寸: 500x10mm
Double sealing-bar/双封条尺寸: 500x10mm
Capacity/排气量: 30m3/h
Cycle time/循环时间: 15-30sec
Power/功率: 0.9KW



VM(Q)400E
Vacuum (inflatable) Packager
真空 (充气) 包装机
Stainless steel housing. High transparent lid.
Chamber size/真空腔尺寸: 440x420x75mm
Single sealing-bar/单封条尺寸: 400x10mm
Double sealing-bar/双封条尺寸: 400x10mm
Capacity/排气量: 20m3/h
Cycle time/循环时间: 10-25sec



VM(Q)500E
Vacuum (inflatable) Packager
真空 (充气) 包装机
Chamber size/真空腔尺寸: 520x525x100mm
Single sealing-bar/单封条尺寸: 500x10mm
Double sealing-bar/双封条尺寸: 500x10mm
Capacity/排气量: 30m3/h
Cycle time/循环时间: 10-30sec
Power/功率: 0.9KW



VM(Q)600E
Vacuum (inflatable) Packager
真空 (充气) 包装机
Chamber size/真空腔尺寸: 625x625x100mm
Single sealing-bar/单封条尺寸: 600x10mm
Double sealing-bar/双封条尺寸: 600x10mm
Capacity/排气量: 40m3/h
Cycle time/循环时间: 10-35sec
Power/功率: 1.5KW



DZ600L & DZ600/S
External Vacuum Packager
外抽式真空包装机
Sealing bar size/封条尺寸: 600x10mm
Pump Capacity/真空腔: 900W / 20m3
Vacuum Time/真空腔时间: 10-25 sec.
DZ600/S with Stainless Steel Body
Options: Other Sealing Size/可选封条尺寸



DZ-600W
External Vacuum Packager
外抽式真空包装机
Hot sealing Power/功率: 0.8KW
Vacuum pump Power/真空腔功率: 0.75KW
Sealing bar size/封条尺寸: 600x10mm
Working table size/工作桌尺寸: 600x400mm
Packing speed/封包速度: 1-3 times/min



DZQ-600L/DZQ-600/S
External Vacuum Packager
外抽式真空包装机
Hot sealing Power/功率: 0.5KW DZQ-600L
0.6-1.0KW DZQ-600/S
Vacuum pump Power/真空腔功率: 0.75KW DZQ-600L
0.75KW DZQ-600/S
Sealing bar size/封条尺寸: 1.600mm W8mm, 10mm
Vacuum pump stroke volume/真空腔排气量: 20m3/h DZQ-600L
20m3/h DZQ-600/S
Film thickness(single)/薄膜厚度 (单证): ≤0.10mm DZQ-600L

Automatic Vacuum packager

真空包装机



DZP(Q)1500/25B DZP(Q)600/25B
Vacuum (pneumatic) Packager
真空 (充气) 包装机
4xDouble sealing-bar/双封条尺寸: 520x10mm DZP(Q)500/25B
620x10mm DZP(Q)600/25B
Capacity/排气量: 2x20m3/h DZP(Q)500/25B
40m3/h DZP(Q)600/25B
Cycle time/循环时间: 10-35sec DZP(Q)500/25B
10-40sec DZP(Q)600/25B
Power/功率: 1.5KW 3KW 2.2KW



DZ(Q)500/25B & DZ(Q)600/25B
Vacuum (pneumatic) Packager
真空 (充气) 包装机
Chamber size/真空腔尺寸: 540x570x50mm DZ(Q)500/25B
540x670x50mm DZ(Q)600/25B
Double sealing-bar/双封条尺寸: 620x10mm DZ(Q)500/25B
620x10mm DZ(Q)600/25B
Capacity/排气量: 2x20m3/h DZ(Q)500/25B
40m3/h DZ(Q)600/25B
Cycle time/循环时间: 10-35sec DZ(Q)500/25B
10-40sec DZ(Q)600/25B
Power/功率: 1.5KW DZ(Q)500/25B
3.2KW DZ(Q)600/25B



DZP(Q)-800/25B
Pneumatic Vacuum Packager
气动双室真空包装机
Chamber size/真空腔尺寸: 830x750x60mm
Sealing bar size/封条尺寸: 800x10mm



DZ(Q)-600/4S
Double Chamber Vacuum Packager
双室真空包装机
Chamber size/真空腔尺寸: 750x750x60mm
Sealing bar size/封条尺寸: 600x10mm



DZ1000C/1200C
Continuous Vacuum Packager
连续式真空包装机
Vacuum density/真空密度: ≤0.00094Mpa DZ1000C
≤0.00094Mpa DZ1200C
Vacuum capacity/真空容量: 1000x350x60mm DZ1000C
1200x460x100mm DZ1200C
Sealing bar size/封条尺寸: 1000x8mm DZ1000C
1200x8mm DZ1200C
Packing speed/封包速度: 60m/min DZ1000C
60m/min DZ1200C
Bleed air frequency/排气频率: 250m3/h DZ1000C
250m3/h DZ1200C



DZ650/25B & DZ850/25B
Double Chamber Vacuum Packager
双室真空包装机
Chamber size/真空腔尺寸: 670x650x50 mm (DZ650/25B)
670x850x50 mm (DZ850/25B)
Sealing bar size/封条尺寸: 1650x8mm (DZ650/25B)
1850x8mm (DZ850/25B)
Capacity/容量: 63 m3/hour, (DZ650/25B)
100m3/hour, (DZ850/25B)
Distance between two sealing bar
两个密封条之间的距离: 650mm



DZ680/2SA & DZ850/2SA
Pneumatic Vacuum Packager
气动真空包装机
Sealing bar size/封条尺寸: 680x8mm DZ680/2SA
850x8mm DZ850/2SA
Vacuum Pump/真空腔: 100m3/hour DZ680/2SA
200m3/hour DZ850/2SA
Cycle Time/循环时间: 15-30sec/time
Power Supply/电源电压: 3Phase, 220V/60Hz or 380V/50Hz



VFM420/520
Automatic Food Packaging Machine
食品包装机
Capacity/产能: 3-5 times/min
Max. Forming depth最大成形深度: 50mm / 80mm




Continuous Band Sealing Machine&Pedal Sealer

封口机系列



Continuous Band Sealer&Ink-jet Printing Sealer

连续封口机及喷码封口机系列



CONTACT US

Multi functional packaging machinery
多功能包装机



BVP-65XKB (High Speed)
Auto. Powder Packing Machine
高速粉剂包装机
Packing Capacity/包装量: 1-100g
Bag Size/膜袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 80-120bags/min.
Shape of bag/袋型: Back Sealing, Three Side Sealing & Four side Sealing are option.



BVP-61XBF (High Speed)
Auto. Powder Packing Machine
高速粉剂包装机
Packing Capacity/包装量: 1-100ml
Bag Size/膜袋尺寸: L30-190mm, W30-130mm
Packing Speed/包装速度: 30-70bags/min.
Shape of bag/袋型: Back Sealing, Three Side Sealing & Four side Sealing are option.



BVP-61XAJ (High Speed)
Auto. Powder Packing Machine
高速粉剂包装机
Packing Capacity/包装量: 1-100ml
Bag Size/膜袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 30-70bags/min.
Shape of bag/袋型: Back Sealing & Three Side Sealing are option.



DXB600/1000
Automatic Packing Machine
自动粉剂包装机



BPB300
Drip Coffee Packing Machine
挂耳咖啡包装机
Packing Capacity/包装量: 1-100g
Bag Size/膜袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 30-80 bags/min.



BPB260
Pyramid Tea Bag Packing Machine
三角包包装机
Packing Capacity/包装量: 1-100g
Bag Size/膜袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 30-80 bags/min.



ALB-420
Model: Vertical Machine - F15A Pro
Labeling Speed: 40-80P/min
Labeling Precision: ±1.2mm
Label Width: 30-130mm
Label Length: 20-305mm
Roll Inner Diameter: 75.2mm
Roll Outer Diameter: MAX 305mm
Product Height: 25-230mm
Power Supply: 220V/50Hz, 0.7KW
Machine Dimensions: L1800 x W800 x H1550mm
Machine Weight: 150kg



Model: Vertical Machine - F15A Pro
Power Supply: AC 220V/50Hz
Equipment Power: 300W
Packing Speed: 15 packs per minute
Packing Size Length: 80-100mm
Packing Size Width: 50-270mm
Packing Size Height: 10-120mm
Packing Weight: 4.500g
Film Roll Width: 300-500mm
Film Roll Diameter: <130mm
Dimensions L x W x H and Gross Weight:
980mm x 750mm x 1320mm, 200kg
Machine Dimensions are subject to the specific model
1050mm x 800mm x 1430mm, 204kg



Model: Continuous - Ar25
Power Supply: AC 220V/50Hz
Equipment Power: 3400W
Packing Speed: 25 packs per minute
Packing Size (Length): 120-300mm
Packing Size (Width): 95-220mm
Packing Size (Height): 80-150mm
Packing Weight: 50-450g
Film Roll Width: 350-550mm
Film Roll Diameter: <160mm
Dimensions L x W x H and Net Weight:
3180mm x 1014mm x 1372mm, 307kg
Dimensions L x W x H and Gross Weight:
3370mm x 1160mm x 1515mm, 397kg



Model: Desktop Machine - SUPER X
Power Supply: AC 220V/50Hz
Equipment Power: 400W
Packing Speed: 11 packs per minute
Packing Size (Length): 80-280mm
Packing Size (Width): 90-200mm
Packing Size (Height): 80-150mm
Packing Weight: 100-300g
Film Roll Width: 250-450mm
Film Roll Diameter: <160mm
Dimensions L x W x H and Net Weight:
640mm x 695mm x 495mm, 62.5kg
Dimensions L x W x H and Gross Weight:
780mm x 740mm x 590mm, 93kg



DZ-280A
Household vacuum sealer
家用真空封口机
Vacuum/真空度: 0.35Mpa
Sealing length/封口长度: 40-280mm



PVC, PE, PP
Film
热收缩膜
Width/宽度: 135-800mm
Thickness/厚度: 12, 15, 19, 25micron (PCF)
12, 15, 20micron (PET)
60, 80, 100micron (PE)

Multi functional packaging machinery
多功能包装机



BTS400LV & BTS400LV/E
Automatic Tray Sealer with Gas Flushing Inflation
气调密封包装机
Max. Tray Size/最大盒子尺寸: 490X330X50mm
Zpsx 330X230X50mm or 4psx 230X150X50mm
Max. Width of Film/最大膜宽: 300mm
Max. Diameter of Film/最大膜管直径: 200mm
Packing Speed/包装速度: 3 cycle/min.
Pump Capacity/流量: 100m³ (BTS400LV)
Options: Vacuum & Sealing (BTS400LV)
Nitrogen Filling (BTS400LV, E) & Sealing Only (BTS400LV, E)



BTS400T/E & BTS400T/S
Automatic Tray Sealer with Gas Flushing Inflation
气调密封包装机
Max. Tray Size/最大盒子尺寸: 330X200X50mm
or 2psx 220X150X50mm
Max. Width of Film/最大膜宽: 300mm
Max. Diameter of Film/最大膜管直径: 200mm
Packing Speed/包装速度: 3 cycle/min.
Options: Nitrogen Filling (BTS400T/E)
Sealing Only (BTS400T/S)



BVS300T
Tabletop Tray Vacuum Skin Packager
台式真空收缩包装机
Max. Tray Size/最大盒子尺寸: 350X260X50mm
or 2psx 260X175X50mm
Max. Width of Film/最大膜宽: 320mm
Max. Diameter of Film/最大膜管直径: 180mm
Packing Speed/包装速度: 2 cycle/min.
Pump Capacity/流量: 20m³



BTS180 & BTS265
Tabletop Tray Sealer
台式封口机
Max. Tray Size/最大盒子尺寸: 240X140X50mm & 300X200X50mm
Film Width/最大膜宽: 180mm & 265mm
Film Diameter/最大膜管直径: 180mm



SYF (Table Model)
Double Nozzle Liquid Filling Machine
台式双头液体灌装机
Filling Capacity/灌装容量: 10-100ml (DYF100)
30-300ml (DYF300) & 50-500ml (DYF500)
100-1000ml (DYF1000) & 250-2500ml (DYF2500)



DYF/D (Table Model)
Single Nozzle Liquid Filling Machine
台式单头液体灌装机
Filling Capacity/灌装容量: 10-100ml (DYF100)
30-300ml (DYF300) & 50-500ml (DYF500)
100-1000ml (DYF1000) & 250-2500ml (DYF2500)



SGF
双头液体灌装机
台式双头液体灌装机
Filling Capacity/灌装容量: 10-100ml (DYF100)
30-300ml (DYF300) & 50-500ml (DYF500)
100-1000ml (DYF1000) & 250-2500ml (DYF2500)



KFG500
颗粒/粉剂灌装机
颗粒/粉剂灌装机
Granule/powder filler



PP, PET
PP Strap PET Strap Machine
机用带
Width/宽度: 6, 9, 10, 12, 13.5, 15mm (PP)
12, 16, 19mm (PET)
Thickness/厚度: 0.5-1.2mm



BVP420F
立式粉剂包装机
Powder Vertical Packing Machine



Printing Machine & Inkjet Printer & Folder

印码机&喷码机系列



DDYM520 (Square Model)
Pad Printing Machine
油墨印刷机
Capacity/工作容量: 10-30 pcs/min
Round Model are option (DDYM520A)



MY380F/VW
Solid-ink Coding Machine
固网油墨喷码机
Max. Printing Line/最多印行线: 11 lines (10letters F type letter)
8 lines (8 letters (R type letter))
Max. Object Size/最大物件尺寸: L45-500mm W30-300mm



MY380F
Solid-ink Coding Machine
固网油墨喷码机
Max. Printing Line/最多印行线: 11 lines (10letters F type letter)
8 lines (8 letters (R type letter))
Max. Object Size/最大物件尺寸: L45-500mm W30-190mm



MY300 & MY420
Solid-ink Coding Machine
固网油墨喷码机
Letter Size/字体尺寸: 2.3x1.5, 2.5x2, 3x2, 5x2.5
Max. Object Size/最大物件尺寸: L40-600mm W35-300mm & W50-420mm



HP241B & HP241C
Color Ribbon Hot Printer
色带热转印机
Max. Printing Line/最多印行线: 2 lines 12 letters (HP241B)
3 lines 12 letters (HP241C)
Color Ribbon Width: 25/30/35mm
Color Ribbon Width: 25/30/35mm



HP241
Color Ribbon Hot Printer
色带热转印机
Max. Printing Line/最多印行线: 3 lines 12 letters
Color Ribbon Width: 25/30/35mm
Frame size/框架尺寸: 400/500/600mm



MS200
Lock & Follow Coding Machine
同步跟码机
Max. Printing Line/最多印行线: 3 lines 12 letters
Ink Roller Size/滚珠尺寸: 330x20mm
Frame size/框架尺寸: 400/500/600mm



HP351
Color Ribbon Hot Printer
色带热转印机
Max. Printing Line/最多印行线: 3 lines 12 letters
Color Ribbon Width: 25/30/35mm



MX1
Inline Inkjet Printer
在线式喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Line/最大印行线数: 6 lines
Language/语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian



M7
Hand Inkjet Printer
手持式喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Line/最大印行线数: 6 lines
Language/语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian



T220E
Online Inkjet Printer
在线喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Line/最大印行线数: 6 lines
Screen Size/屏幕尺寸: 7 inch
Available 40type of languages
Options 2heads with 25.4mm Font Height



T180ES
Online Inkjet Printer
在线喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Line/最大印行线数: 6 lines
Screen Size/屏幕尺寸: 5.5 inch
Available 40type of languages



ZE98/2 & ZE98/4
Paper Folding Machine
自动折纸机
Max. Paper Size/最大纸张尺寸: 315x735mm
& 315x1225mm for ZE98/4
Min. Paper Size/最小纸张尺寸: 50x70mm
Folding Tray Number/折页数: 2 & 4
Folding Speed/速度: 80 pcs/min.



ZE98/2 & ZE98/4
Paper Folding Machine
自动折纸机
Max. Paper Size/最大纸张尺寸: 215x690mm
& 215x1150mm for ZE98/4
Min. Paper Size/最小纸张尺寸: 50x70mm
Folding Tray Number/折页数: 2 & 4
Folding Speed/速度: 80 pcs/min.



LM9130CO2
Laser Marking Machine
激光标识机
Laser Type/激光类型: CO2
Laser Power/激光功率: 30W(option 40/60W)
Marking Material: Non Metallic Materials
Laser Wavelength/激光波长: 10.6um
Min. Font Height/最小字体: 0.3mm



ACM17
Air Cushion Machine
气垫机
Sealing Speed: 1-25m/min
Inflatable air pillow
Materials: 3Layer HDPE Film
Size: 200*105mm
Length: 100m or 300m

Impulse Sealer & Packing Tools

手压封口机 & 包装工具




PCS100P/200P
Plastic Film Sealer
塑料封口机
封口长度/Seal length: 100mm, 200mm



PCS200I/300I
Plastic Film Sealer
塑料封口机
封口长度/Seal length: 100mm, 200mm



PCS200A/300A/400A
Plastic Film Sealer
塑料封口机
封口长度/Seal length: 200mm, 300mm, 400mm



PCS200C/300C
Plastic Film Sealer
塑料封口机
封口长度/Seal length: 200mm, 300mm



PCS200M/300M
Plastic Film Sealer
塑料封口机
封口长度/Seal length: 200mm, 300mm



DK-50/D
Locking capping Machine
铁盖型 Metal cap Model



DK-50/Z
Locking capping Machine
铁盖型 Plastic cap Model



ALB210
Automatic Top Labeling Machine
自动顶部贴标机
Automatic Top Labeling Machine
标签宽度/Label width: A: 10-110mm
C: 10-170mm
标签长度/Label length: 10-300mm
产品的宽度/Product width: A: 25-150mm
C: 30-200mm
产品的高度/Product height: 10-250mm




ALB510
Automatic Round Bottle Labeling Machine
自动圆瓶贴标机
Automatic Round Bottle Labeling Machine
标签宽度/Label width: A: 10-110mm
C: 10-170mm
标签长度/Label length: 10-300mm
产品的直径/Product diameter: 25-100mm



ALB100
Hand Labeling Machine
手贴标机
标签宽度/Label width: 10-120mm
标签长度/Label length: 30-400mm



ALB130P
Round Bottle Labeling Machine
圆瓶贴标机
标签宽度/Label width: 10-120mm
标签长度/Label length: 30-400mm



PFS-T450/T600
Table Pouch Sealer
台式封口机




KT01/KT02
Blind Tool
盲孔工具
带宽度/Tape width: 9mm (KT01)
12mm (KT02)
不锈钢材质
Stainless steel body Available



GK-261
Sewing Machine
手缝式缝包机



XOD-19EXOD-25E
Pneumatic Strapping Machine
气动打包机
Max. Strapping tension/25kg
Strap width: 19mm/25mm



KZ-2TB
Multi-electrical Strapping Tool
电绳打包机
Max. Strapping tension/25kg
Strap width: 19mm/25mm



B312/C310
Hand Strapping Tool
手动捆带打包机
Suitable for PP, COBD, PET strap
Strap width: 9-19mm



HB810/HC810
Hand Strapping Tool
手动捆带打包机
Suitable for Steel strap
Strap width: 9-19mm



V2
Battery Strapping Tool
电动打包机
Strap Width/带宽: PP/PET
Strap Width/带宽: 13-16mm
Lithium Battery/锂电池: 40Ah 57.6wh
Max. Tension: Up to 120kg



CONTACT US

Automatic Can/Bottle Packing Line

自动罐类瓶类包装贴标线



Automatic Bottle Type Packaging Line

Function Include Automatic Bottle Arrangement turntable & Washing & Filling & Capping & Labeling Line & Collect Turntable.
Available choose all function or some of them.
Applicable industries: food industry, beverage industry, seasoning industry, pharmaceutical industry



Auto filling-capping labelling System

自动罐装旋盖贴标包装线



Automatic Can Type Packaging Line

Function Include Automatic Can Arrangement turntable & Filling & Capping & Induction Sealing & Labeling Line & Collect Turntable.
Available choose all function or some of them.
Applicable industries: food industry, seasoning industry, pharmaceutical industry



Rotary Pre-made Pouch Packing Machine

给袋式包装机



BR-200R/260R/300R

组合和给袋式包装机
multi-head scale
Rotary Pre-made Pouch Packing Machine
技术参数 Main Technical Parameter
型号 Model BR-200R BR-260R BR-300
包装尺寸 Pouch size (mm)
W80-200L80-400
W130-260L100-400
W190-300L100-400
包装速度 (包/分) Packing Speed (pouch/min)
25-50 10-30 25-60
(取决于产品类型) Depending on type of products

BR-260 BR-300

酱料给袋式包装机
Sauce Rotary Pre-made Pouch Packing Machine
技术参数 Main Technical Parameter
型号 Model BR-200R BR-260R BR-300
包装尺寸 Pouch size (mm)
W80-200L80-400
W130-260L100-400
W190-300L100-400
包装速度 (包/分) Packing Speed (pouch/min)
25-50 10-30 25-60
(取决于产品类型) Depending on type of products

BR-260 BR-300

酱料给袋式包装机
Sauce Rotary Pre-made Pouch Packing Machine
技术参数 Main Technical Parameter
型号 Model BR-200R BR-260R BR-300
包装尺寸 Pouch size (mm)
W80-200L80-400
W130-260L100-400
W190-300L100-400
包装速度 (包/分) Packing Speed (pouch/min)
25-50 10-30 25-60
(取决于产品类型) Depending on type of products



CONTACT US