


Model: **E3 Gen6**

L: 5600mm W: 3400mm H: 3400mm

Area: 19.0m² Power: 10KW/15KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Double Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Integrated Ambient Light
- Bedside Reading Lights
- Screen Window

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

- Induction Cooker ☐
- Kitchen Hood ☐
- Mini Fridge ☐
- Electric Towel Rack ☐

Furniture

- Sofa ☐
- Bedstand ☐
- Outdoor Deck ☐



CONTACT US

Multimagotrade.com
+40-758-667-671

Model: **E6 Gen6**

L: 9100mm W: 3400mm H: 3400mm

Area: 30.9m2 Power: 13KW/20KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Double Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Ambient Light
Bedside Reading Lights
Screen Window

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

- TV ☐
- Air Humidifier ☐
- Mini Fridge ☐
- Electric Towel Rack ☐

Furniture ☐

- Sofa ☐
- Bedstead ☐
- Outdoor Deck ☐



CONTACT US


Multimagotrade.com
+40-758-667-671

Model: **E7 Gen5**

L: 11400mm W: 3300mm H: 3200mm

Area: 38.0m² Power: 15KW/21KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Ambient Light
Screen Window and Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

Projector ☐

Furniture ☐

Sofa ☐
Bedstead ☐
Outdoor Deck ☐





CONTACT US

Model: **S5 Gen5**

L: 8500mm W: 3300mm H: 3300mm

Area: 28.0m2 Power: 11KW/16KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Bar Table
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Ambient Light
Bedside Reading Lights
Screen Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

Projector

Furniture ☐

Sofa ☐
Bedstead ☐
Outdoor Deck ☐



CONTACT US



Multimagotrade.com
+40-758-667-671

Model: **V5 Gen6**

L: 8700mm W: 3400mm H: 3400mm

Area: 29.6m² Power: 10KW/15KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Double Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Ambient Light
Bedside Reading Lights
Screen Window

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

Furniture

- Sofa ☐
- Bedstead ☐
- Outdoor Deck ☐



CONTACT US

Model: **V7 Gen6**

L: 9500mm W: 3400mm H: 3400mm

Area: 32.3m² Power: 13KW/19KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Double Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Wardrobe
Integrated Ambient Light
Bedside Reading Lights
Screen Window

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

- TV ☐
- Mini Fridge ☐
- Electric Towel Rack ☐

Furniture ☐

- Sofa ☐
- Bedstead ☐
- Outdoor Deck ☐



CONTACT US


Multimagotrade.com
+40-758-667-671

Model: **V9 Gen6**

L: 11400mm W: 3400mm H: 3400mm

Area: 38.8m2 Power: 16KW/24KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Light Grey Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Integrated Kitchen Counter/Cabinet
- Integrated Kithchen island/dining table
- Double Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

Integrated Ambient Light
Bedside Reading Lights
Screen Window
Integrated Wardrobe/Desk

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

- Induction Cooker ☐
- Kitchen Hood ☐
- Mini Fridge ☐
- Washing Machine ☐
- Dish Washer ☐
- Electric Fireplace ☐
- Electric Towel Rack ☐

Furniture

- Sofa ☐
- Bedstead ☐
- Outdoor Deck ☐



CONTACT US

Multimagotrade.com
+40-758-667-671

Model: **V5 Gen5**

L: 7500mm W: 3300mm H: 3200mm

Area: 24.8m² Power: 12KW/15KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- 9MM Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Screen Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

Furniture

- Bedstead ☐
- Outdoor Deck ☐



CONTACT US

Model: **V7 Gen5**

L: 9500mm W: 3300mm H: 3200mm

Area: 31.4m² Power: 16KW/24KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- 9MM Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Screen Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

Furniture

- Bedstead ☐
- Outdoor Deck ☐




CONTACT US

Model: **V9 Gen5**

L: 11500mm W: 3300mm H: 3300mm

Area: 38.0m² Power: 16KW/24KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- 9MM Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Midea Inverter Air Conditioning
- Midea Storage Water HeaterIntegrated
- Kithchen island/dining table

Smart Control System

- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Screen Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances

Furniture

- Bedstead ☐
- Outdoor Deck ☐



CONTACT US


Multimagotrade.com
+40-758-667-671

Model: **E5 Gen5**

L: 8500mm W: 3300mm H: 3200mm

Area: 28.0m² Power: 12KW/15KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass, Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Bar Table
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Integrated Ambient Light
- Bedside Reading Lights
- Screen Door

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

Projector

Furniture ☐

Sofa ☐
Bedstead ☐
Outdoor Deck ☐



CONTACT US


Multimagotrade.com
+40-758-667-671

Model: **05 Gen5**

L: 7500mm W: 3600mm H: 3200mm

Area: 27.0m² Power: 12KW/15KW

Country / Region:



Standard Configuration

Main Structure Materials

- Double Hollow Low-E Glass,Thermal Conductivity(1.58W/ (m·K))
- High Strength Hot-Dip Galvanized Steel Structure(Q235B)
- Corrosion-resistant Fluorocarbon Sprayed Aluminum Panel (3003/H24)
- High-Thermal-Performance Thermal Bridge Prevention Doors and Windows (6063-T5)
- Insulation sprayed with rigid polyurethane(0.0294W/ (m·K))

Interior Material

- Aluminum Alloy Ceiling Finishing Layer
- 9MM Bamboo Fiber Board
- Double Ceiling Lighting System
- Standard Prefabricated Pipeline System
- Blackout Electric Curtain
- Bar Table
- Midea Inverter Air Conditioning
- Midea Storage Water Heater

Smart Control System

- Card Power On/Off Control Panel
- Multi-Scenario Mode Panel
- Intelligent Integrated Lighting/Curtain Control
- Smart Voice Speaker
- Smart Access Control

Bedroom Features

- Integrated bedside table
- Screen Door
- Wide-View Skylight

Bathroom Features

- Moisture-Proof Integrated Washstand
- Brand Toilet/Bathroom Mirror
- Brand Stainless Steel Shower Head
- Copper Chrome Plated Anti-Rust Faucet
- Copper Chrome Plated Floor Drain

Accessories

- Smart Door Lock Card/Key
- 4G Router
- Intelligent Gateway
- Fixture for Transportation
- Cleaning Accessories
- Standard Stair

Advanced Options

Upgrade Thermal Performance ☐

- *Water Supply Pipe Insulation
- *Thickened Thermal Insulation
- *Bathroom Master
- *Electric Floor Heating

Electric Appliances ☐

Projector

Furniture ☐

Sofa ☐
Bedstead ☐
Outdoor Deck ☐



CONTACT US